

## ■ 尺寸表- V-形圈型号A




图59 安装图

Diameter of shaft used	The internal diameter	The section height	size	Free width	The biggest	The minimum	Cooperate with the width of the	Order type
$d_1$	$d$	$C$	A	B	$d_2$	$d_3$	$B_1$	
4.5 - 5.5	4	2	3.9	5.2	$d_1 + 1$	$d_1 + 6$	$4.5 \pm 0.4$	V-5S
5.5 - 6.5	5	2	3.9	5.2	$d_1 + 1$	$d_1 + 6$	$4.5 \pm 0.4$	V-6S
6.5 - 8.0	6	2	3.9	5.2	$d_1 + 1$	$d_1 + 6$	$4.5 \pm 0.4$	V-7S
8.0 - 9.5	7	2	3.9	5.2	$d_1 + 1$	$d_1 + 6$	$4.5 \pm 0.4$	V-8S
9.5 - 11.5	9	3	5.6	7.7	$d_1 + 1$	$d_1 + 9$	$6.7 \pm 0.6$	V-10S
11.5 - 13.5	10.5	3	5.6	7.7	$d_1 + 1$	$d_1 + 9$	$6.7 \pm 0.6$	V-12S
13.5 - 15.5	12.5	3	5.6	7.7	$d_1 + 1$	$d_1 + 9$	$6.7 \pm 0.6$	V-14S
15.5 - 17.5	14	3	5.6	7.7	$d_1 + 1$	$d_1 + 9$	$6.7 \pm 0.6$	V-16S
17.5 - 19	16	3	5.6	7.7	$d_1 + 1$	$d_1 + 9$	$6.7 \pm 0.6$	V-18S
19 - 21	18	4	7.9	10.5	$d_1 + 2$	$d_1 + 12$	$9.0 \pm 0.8$	V-20S
21 - 24	20	4	7.9	10.5	$d_1 + 2$	$d_1 + 12$	$9.0 \pm 0.8$	V-22S
24 - 27	22	4	7.9	10.5	$d_1 + 2$	$d_1 + 12$	$9.0 \pm 0.8$	V-25S
27 - 29	25	4	7.9	10.5	$d_1 + 2$	$d_1 + 12$	$9.0 \pm 0.8$	V-28S
29 - 31	27	4	7.9	10.5	$d_1 + 2$	$d_1 + 12$	$9.0 \pm 0.8$	V-30S
31 - 33	29	4	7.9	10.5	$d_1 + 2$	$d_1 + 12$	$9.0 \pm 0.8$	V-32S
33 - 36	31	4	7.9	10.5	$d_1 + 2$	$d_1 + 12$	$9.0 \pm 0.8$	V-35S
36 - 38	34	4	7.9	10.5	$d_1 + 2$	$d_1 + 12$	$9.0 \pm 0.8$	V-38S
38 - 43	36	5	9.5	13	$d_1 + 2$	$d_1 + 15$	$11.0 \pm 1.0$	V-40S
43 - 48	40	5	9.5	13	$d_1 + 2$	$d_1 + 15$	$11.0 \pm 1.0$	V-45S
48 - 53	45	5	9.5	13	$d_1 + 2$	$d_1 + 15$	$11.0 \pm 1.0$	V-50S
53 - 58	49	5	9.5	13	$d_1 + 2$	$d_1 + 15$	$11.0 \pm 1.0$	V-55S
58 - 63	54	5	9.5	13	$d_1 + 2$	$d_1 + 15$	$11.0 \pm 1.0$	V-60S
63 - 68	58	5	9.5	13	$d_1 + 2$	$d_1 + 15$	$11.0 \pm 1.0$	V-65S
68 - 73	63	6	11.3	15.5	$d_1 + 3$	$d_1 + 18$	$13.5 \pm 1.2$	V-70S
73 - 78	67	6	11.3	15.5	$d_1 + 3$	$d_1 + 18$	$13.5 \pm 1.2$	V-75S
78 - 83	72	6	11.3	15.5	$d_1 + 3$	$d_1 + 18$	$13.5 \pm 1.2$	V-80S
83 - 88	76	6	11.3	15.5	$d_1 + 3$	$d_1 + 18$	$13.5 \pm 1.2$	V-85S
88 - 93	81	6	11.3	15.5	$d_1 + 3$	$d_1 + 18$	$13.5 \pm 1.2$	V-90S
93 - 98	85	6	11.3	15.5	$d_1 + 3$	$d_1 + 18$	$13.5 \pm 1.2$	V-95S
98 - 105	90	6	11.3	15.5	$d_1 + 3$	$d_1 + 18$	$13.5 \pm 1.2$	V-100S
105 - 115	99	7	13.1	18	$d_1 + 4$	$d_1 + 21$	$15.5 \pm 1.5$	V-110S
115 - 125	108	7	13.1	18	$d_1 + 4$	$d_1 + 21$	$15.5 \pm 1.5$	V-120S
125 - 135	117	7	13.1	18	$d_1 + 4$	$d_1 + 21$	$15.5 \pm 1.5$	V-130S
135 - 145	126	7	13.1	18	$d_1 + 4$	$d_1 + 21$	$15.5 \pm 1.5$	V-140S
145 - 155	135	7	13.1	18	$d_1 + 4$	$d_1 + 21$	$15.5 \pm 1.5$	V-150S
155 - 165	144	8	15	20.5	$d_1 + 4$	$d_1 + 24$	$18.0 \pm 1.8$	V-160S
165 - 175	153	8	15	20.5	$d_1 + 4$	$d_1 + 24$	$18.0 \pm 1.8$	V-170S
175 - 185	162	8	15	20.5	$d_1 + 4$	$d_1 + 24$	$18.0 \pm 1.8$	V-180S
185 - 195	171	8	15	20.5	$d_1 + 4$	$d_1 + 24$	$18.0 \pm 1.8$	V-190S
195 - 210	180	8	15	20.5	$d_1 + 4$	$d_1 + 24$	$18.0 \pm 1.8$	V-199S